

PANELTIM AGRO


Scandinavia ApS 



Agri Door & section wall

Engineered for heavy-duty use inside barns and stables

- ✓ Corrosion-free
- ✓ Water resistant
- ✓ Insulating
- ✓ Scratch-proof



Feel free to ask for an assistance with the drawings/design and get a no-obligation offer.

+45 5545 0550 or info@paneltimagro.dk


For more information, visit our website: www.paneltimagro.dk

Agri Door (Indoor/Outdoor Use)

- AgriDoor (inside use) – PVC door leaf with 40 mm insulated core, RAL 7040 Light Grey. Smooth, hygienic and highly resistant to scratches and wear - perfect to stables and corridors.
- OmniDoor (outside use) – fiberglass-reinforced plate with 40 mm insulated core ensures UV- and weather-resistance, making it durable in even the harshest conditions. RAL 9016 White.
- **Configurations** – single, double, or sliding
- **Frame** – stainless steel: full frame or with bottom in flat steel
- **Optional** – plexiglass or thermoglass windows can be installed
- **Installation** – supplied as pre-assembled kit for quick and easy installation


Standart sizes:	750×2000 mm	1000×2000 mm	Agri Double Door max 2500×2500 mm
	750×2125 mm	1000×2125 mm	
	875×2000 mm	1000×2375 mm	
	875×2125 mm	1250×2000 mm	
	875×2375 mm	1250×2125 mm	

*other sizes available on request



Agri Door

Agri Double Door



All measures is opening in wall (Door produced 5 mm narrower)

Section Walls

ideal solution for creating partitions, walls and dividers in barn and stables

Our panels can be used as section walls as well.

With a panel width of 1000 mm and lengths up to 6 m, they can be easily adapted to different barn layouts. Profiles (PVC or stainless steel) ensure a strong and reliable connection between panels and building walls.


Profiles for section walls

All profiles for section walls comes in 3-meter length:

PVC H-profile


PVC U-profile

Stainless steel U-profile



PANELTIM AGRO

Scandinavia ApS 



Feel free to ask for an assistance if you have any questions.

+45 5545 0550 or info@paneltimagro.dk

For more information, visit our website: www.paneltimagro.dk